

## PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

From the INTERNATIONAL BUREAU

To:

KITAGAWA, Osamu  
Kitagawa Patent Law Firm  
Third Floor  
Fujigaoka No.2 Asahi Building  
7, Fujimigaoka, Meito-ku  
Nagoya-shi, Aichi 465-0048  
JAPON

Date of mailing (day/month/year) 26 January 2001 (26.01.01)	<b>IMPORTANT NOTIFICATION</b>
Applicant's or agent's file reference IPOK00-010WO	
International application No. PCT/JP00/03932	International filing date (day/month/year) 15 June 2000 (15.06.00)

## 1. The following indications appeared on record concerning:

☒ the applicant      ☒ the inventor      ☐ the agent      ☐ the common representative

Name and Address 1) TAKEUCHI, Ken-ichi 2) KOIDE, Yoshinao 3) HIROSE, Yoshihiko Amano Pharmaceutical Co., Ltd. Chuo Kenkyusho 51, Nishi Shiroyashiki Oaza Kunotsubo Nishiharu-cho, Nishi Kasugai-gun Aichi 481-0041 Japan	State of Nationality JP	State of Residence JP
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	

## 2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

☐ the person      ☐ the name      ☒ the address      ☐ the nationality      ☐ the residence

Name and Address Amano Enzyme Inc. Gifu R & D Center 4-179-35, Sue-cho Kakamigahara-shi Gifu 509-0108 Japan	State of Nationality JP	State of Residence JP
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	

## 3. Further observations, if necessary:

## 4. A copy of this notification has been sent to:

☒ the receiving Office      ☐ the designated Offices concerned  
☐ the International Searching Authority      ☒ the elected Offices concerned  
☒ the International Preliminary Examining Authority      ☐ other:

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer  Masashi HONDA Telephone No.: (41-22) 338.83.38
---	---

**THIS PAGE BLANK (USPTO)**

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE  
 in its capacity as elected Office

Date of mailing (day/month/year) 26 January 2001 (26.01.01)	
International application No. PCT/JP00/03932	Applicant's or agent's file reference IPOK00-010WO
International filing date (day/month/year) 15 June 2000 (15.06.00)	Priority date (day/month/year) 17 June 1999 (17.06.99)
Applicant TAKEUCHI, Ken-ichi et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:  
 28 December 2000 (28.12.00)

☐ in a notice effecting later election filed with the International Bureau on:  
 \_\_\_\_\_

2. The election ☒ was  
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Masashi HONDA Telephone No.: (41-22) 338.83.38
---	---

**THIS PAGE BLANK**

**THIS PAGE BLANK**

## PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION CONCERNING  
SUBMISSION OR TRANSMITTAL  
OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To:

KITAGAWA, Osamu  
Kitagawa Patent Law Firm  
Third Floor  
Fujigaoka No.2 Asahi Building  
7, Fujimigaoka, Meito-ku  
Nagoya-shi, Aichi 465-0048  
JAPON

Date of mailing (day/month/year) 16 October 2000 (16.10.00)	<b>IMPORTANT NOTIFICATION</b>
Applicant's or agent's file reference IPOK00-010WO	
International application No. PCT/JP00/03932	International filing date (day/month/year) 15 June 2000 (15.06.00)
International publication date (day/month/year) Not yet published	Priority date (day/month/year) 17 June 1999 (17.06.99)
Applicant AMANO PHARMACEUTICAL CO., LTD. et al	

1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
3. An asterisk(\*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u>	<u>Priority application No.</u>	<u>Country or regional Office or PCT receiving Office</u>	<u>Date of receipt of priority document</u>
17 June 1999 (17.06.99)	11/170555	JP	04 Augu 2000 (04.08.00)

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No. (41-22) 740.14.35

Form PCT/IB/304 (July 1998)

Authorized officer

Tessadel PAMPLIEGA *Tef*

Telephone No. (41-22) 338.83.38

003586607

**THIS PAGE BLANK (USPTO)**

---

# PATENT COOPERATION TREATY

WO 00/78926  
PCT/JP00/03932

PCT

From the INTERNATIONAL BUREAU

## NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

To:

KITAGAWA, Osamu  
Kitagawa Patent Law Firm  
Third Floor  
Fujigaoka No.2 Asahi Building  
7, Fujimigaoka, Meito-ku  
Nagoya-shi, Aichi 465-0048  
JAPON

Date of mailing (day/month/year) 28 December 2000 (28.12.00)		
Applicant's or agent's file reference IPOK00-010WO		IMPORTANT NOTICE
International application No. PCT/JP00/03932	International filing date (day/month/year) 15 June 2000 (15.06.00)	
Applicant AMANO ENZYME INC. et al		Priority date (day/month/year) 17 June 1999 (17.06.99)

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice:

US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

CN,EP,IN

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 28 December 2000 (28.12.00) under No. WO 00/78926

### REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

### REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer  J. Zahra
Facsimile No. (41-22) 740.14.35	Telephone No. (41-22) 338.83.38

Form PCT/IB/308 (July 1996)

3738413

**THIS PAGE BLANK (USPTO)**

---



(19) 世界知的所有権機関  
国際事務局



(43) 国際公開日  
2000年12月28日 (28.12.2000)

PCT

(10) 国際公開番号  
WO 00/78926 A1

(51) 国際特許分類: C12N 1/21, 15/52, 9/80

(21) 国際出願番号: PCT/JP00/03932

(22) 国際出願日: 2000年6月15日 (15.06.2000)

(25) 国際出願の言語: 日本語

(26) 国際公開の言語: 日本語

(30) 優先権データ:  
特願平11/170555 1999年6月17日 (17.06.1999) JP

(71) 出願人 (米国を除く全ての指定国について): 天野エンザイム株式会社 (AMANO ENZYME INC.) [JP/JP]; 〒460-8630 愛知県名古屋市中区錦一丁目2番7号 Aichi (JP).

(72) 発明者; および

(75) 発明者/出願人 (米国についてのみ): 竹内賢一 (TAKEUCHI, Ken-ichi) [JP/JP]. 小出芳直 (KOIDE, Yoshinao) [JP/JP]. 広瀬芳彦 (HIROSE, Yoshihiko)

[JP/JP]; 〒481-0041 愛知県西春日井郡西春日大字九之坪西城屋敷51 天野製薬株式会社 中央研究所内 Aichi (JP). 森口充暲 (MORIGUCHI, Mitsuaki) [JP/JP]; 〒870-1124 大分県大分市大字旦野原700番地 Oita (JP). 磯部公安 (ISOBE, Kimiyasu) [JP/JP]; 〒020-0111 岩手県盛岡市黒石野3丁目15の40 Iwate (JP).

(74) 代理人: 弁理士 北川 治 (KITAGAWA, Osamu); 〒465-0048 愛知県名古屋市中東区藤見が丘7番地 藤ヶ丘第2朝日ビル3階 北川国際特許事務所 Aichi (JP).

(81) 指定国 (国内): CN, IN, US.

(84) 指定国 (広域): ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

添付公開書類:

— 国際調査報告書

2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

(54) Title: TRANSFORMED MICROORGANISM AND PROCESS FOR PRODUCING D-AMINOACYLASE

(54) 発明の名称: 形質転換微生物、D-アミノアシラーゼの製造方法

(57) Abstract: A transformed microorganism which selectively produces D-aminoacylase alone between D-aminoacylase and L-aminoacylase, obtained by transferring a D-aminoacylase production gene into a host microorganism tolerant to zinc; and a process which comprises culturing the above transformed microorganism in a medium containing zinc ion and obtaining D-aminoacylase from the culture medium at a high efficiency.

(57) 要約:

D-アミノアシラーゼ及びL-アミノアシラーゼの内D-アミノアシラーゼのみを選択的に産生するD-アミノアシラーゼ産生遺伝子を亜鉛耐性を示す宿主微生物に導入してなる形質転換微生物。この形質転換微生物を亜鉛イオンを含む培地で培養し、培養物からD-アミノアシラーゼを高効率に取得する方法。

WO 00/78926 A1

**THIS PAGE BLANK (USPTO)**

## 明 細 書

発明の名称 形質転換微生物、D-アミノアシラーゼの製造方法

## 技術分野

本発明は、D-アミノアシラーゼ及びL-アミノアシラーゼのうち、D-アミノアシラーゼのみを選択的に生産させるD-アミノアシラーゼ産生遺伝子を垂鉛耐性微生物に導入してなる形質転換微生物、及び該形質転換微生物を利用したD-アミノアシラーゼの製造方法に関する。

## 背景技術

D-アミノアシラーゼは、抗生物質の側鎖やペプチド医薬品等の用途に求められる光学的純度の高いD-アミノ酸の製造等のために産業上有用な酵素である。

従来、D-アミノアシラーゼとL-アミノアシラーゼを同時に生産する微生物として、ケミカル・アンド・ファルマシューティカル・ブリテン

( Chemical and Pharmaceutical Bulletin) 26, 2698(1978)にはシュードモナス・エスピー ( *Pseudomonas* sp. ) AAA6029 株が開示されている。又、特開昭53-59092号公報には、ストレプトミセス・オリバセウス

( *Streptomyces olivaceus* ) S-62等の放線菌が開示されている。これらの微生物を利用した場合、D-アミノアシラーゼの生産能力はさておき、光学異性体であるD-アミノアシラーゼとL-アミノアシラーゼとを同時に生産してしまうため、両者を分離すると言う煩雑で高コストな操作を余儀無くされる欠点がある。

一方、D-アミノアシラーゼのみを選択的に生産する微生物として、例えば特開平1-5488号公報には、アルカリゲネス・デニトリフィカンス・サブスピーシーズ・キシロースオキシダンス ( *Alcaligenes denitrificans* subsp. *xylosoxydans* ) M1-4 株が開示されている。この菌株を利用した場合、D-アミノアシラーゼとL-アミノアシラーゼの分離と言う面倒がないものの、

D-アミノアシラーゼの生産能力が不十分であった。しかも特開平 1-5488 号公報では、D-アミノアシラーゼ産生遺伝子の塩基配列が解明されていないため、D-アミノアシラーゼの生産能力を向上させるための遺伝子の改変、高生産性の形質転換微生物の創製等を図ることができなかった。

以上の点に鑑み、本願発明者である森口らは、アルカリゲネス・キシロースオキシダンス・サブスピーシーズ・キシロースオキシダンス (*Alcaligenes xylosoxydans* subsp. *xylosoxydans*) A-6 株が有する D-アミノアシラーゼ産生遺伝子の構造を解明し、配列表の配列番号 1 に係る塩基配列を示した。さらに、この D-アミノアシラーゼ産生遺伝子に一定の改変を加えることにより、形質転換微生物の D-アミノアシラーゼ生産能力を顕著に向上させることに成功した (Protein Expression and Purification 7, 395-399 (1996) )。

#### 発明の開示

その後の研究により、上記 D-アミノアシラーゼ産生遺伝子を導入した各種の形質転換微生物は、亜鉛イオンを含む培地において D-アミノアシラーゼ生産能力が大きく向上することが分かった。特に、その亜鉛イオン濃度を一定の範囲に制御すると生産能力の向上が著しいことも分かった。

更に上記の効果は宿主微生物の種類によって度合いが大きく異なり、効果の大きい宿主微生物は、一般的に形質転換前においても亜鉛耐性を示すことが分かった。この亜鉛耐性とは、菌体量 (A 660 nm) を以て測定される繁殖能力が亜鉛イオン添加によって阻害され難いことを言う。

上記の知見から、次の①、②の事項を指摘できる。即ち、①配列表の配列番号 1 に示す D-アミノアシラーゼ産生遺伝子を持つ形質転換微生物は、理由は明確ではないが、一定量の亜鉛イオンの存在により発現が増強される。②亜鉛イオンは通常の微生物に対して阻害的に働くと考えられることから、亜鉛イオンの効果を十分に確保するためには、元々亜鉛耐性を備えた微生物を、遺伝子導入の宿主として選択する必要がある。

以上の点に基づき、本発明は、D-アミノアシラーゼ産生遺伝子を用いて形質転換された微生物であって、培地への亜鉛イオンの添加により、D-アミ

ノアシラーゼ生産能力が更に大きく増強され得るものを提供する。又、本発明は、上記の形質転換微生物を利用したD-アミノアシラーゼの製造方法を提供する。

本発明の形質転換微生物は、亜鉛イオンの存在により遺伝子産物の発現が増強されるD-アミノアシラーゼ産生遺伝子を亜鉛耐性を示す宿主微生物に導入し、亜鉛イオンを含む培地におけるD-アミノアシラーゼ高生産性形質を獲得させた微生物である。この形質転換微生物は、D-アミノアシラーゼ産生遺伝子で形質転換された微生物であって、培地への亜鉛イオンの添加によりD-アミノアシラーゼ生産能力が最大限に増強され得る。

本発明の形質転換微生物において、より好ましくは、上記D-アミノアシラーゼ産生遺伝子が配列表の配列番号1に示す塩基配列を有するか、又は配列表の配列番号1に示す塩基配列とストリンジェントな条件下でハイブリダイズすると共にD-アミノアシラーゼを有効にコードする塩基配列を有する。配列表の配列番号1に示す塩基配列を有するD-アミノアシラーゼ産生遺伝子は、亜鉛イオンの存在により著しく遺伝子産物の発現が増強される遺伝子であることが確認されている。又、配列表の配列番号1に示す塩基配列とストリンジェントな条件下でハイブリダイズすると共にD-アミノアシラーゼを有効にコードする塩基配列を有するものも、同様の特徴を期待できる。

本発明の形質転換微生物において、更に好ましくは、宿主微生物が大腸菌である。大腸菌は亜鉛耐性を備えることが確認された。又、大腸菌はその菌学的性質や生理的性質、培養条件や管理条件等が周知されている。従って、D-アミノアシラーゼの高効率生産を、容易な生産管理の下に行える。

本発明の形質転換微生物において、更に好ましくは、宿主微生物へ導入されるD-アミノアシラーゼ産生遺伝子に対して、次の(1)及び/又は(2)の改変を行う。(1) リボソーム結合領域に特定塩基配列(GAAGGA)を設計して、遺伝子の翻訳開始点上流9塩基の位置に導入することにより、翻訳効率の向上を図る改変。この改変により、D-アミノアシラーゼ産生遺伝子の翻訳効率が向上する。(2) 大腸菌のHind III認識部位を遺伝子の上流と

下流に作成し、該遺伝子を純化して切り出し発現ベクターへ連結することにより、遺伝子の発現効率の向上を図る改変。この改変により、D-アミノアシラーゼ産生遺伝子の発現効率が向上する。

本発明に係る形質転換微生物を得るための宿主微生物としては、亜鉛耐性の微生物が用いられる。より具体的に言えば、菌体量（A 660 nm）の増加又は減少を以て測定される培地中での繁殖能力が、亜鉛イオン添加によって余り阻害されない微生物が用いられる。亜鉛耐性の一つの判断基準として、当該微生物の亜鉛無添加培地における菌体量（A 660 nm）に対して、亜鉛 2 mM 添加の同一条件培地における菌体量が増加又は 10 % 以内の減少にとどまること、が挙げられる。あるいは、亜鉛 5 mM 添加の同一条件培地における上記菌体量が増加又は 20 % 以内の減少にとどまること、が挙げられる。

宿主微生物の分類上の種類は限定されないが、一般的には、形態学的性質や生理学的性質が良く知られ、その培養条件や管理条件が周知である宿主微生物が好ましい。かかる宿主微生物の好適例として、大腸菌（*Escherichia coli*）を挙げることができる。反面、前記 A-6 株を含むアルカリゲネス・キシロースオキシダンス種の微生物は、大腸菌と比較すると亜鉛耐性を備えていない。

宿主微生物に対する D-アミノアシラーゼ産生遺伝子の導入手段は特段に限定されず、例えば、プラスミドに連結して導入する方法や、バクテリオファージ DNA に連結して導入する方法等を必要に応じて任意に選択すれば良い。

本発明に係る D-アミノアシラーゼ産生遺伝子は、D-アミノアシラーゼ及び L-アミノアシラーゼのうち D-アミノアシラーゼのみを選択的に生産させる遺伝子であって、培地中の亜鉛イオンの存在によりその活性発現が増強されるタイプのものである。このような D-アミノアシラーゼ産生遺伝子であることが確認された好適な一例として、配列表の配列番号 1 に示す塩基配列を有するものを挙げることができる。又、配列表の配列番号 1 に示す塩基配列とストリンジェントな条件下でハイブリダイズすると共に、D-アミノアシラーゼを有効にコードする塩基配列を有するものも好適であるが、実際に培地中の亜鉛イオンにより活性発現が増強されないものは除かれる。

配列表の配列番号 1 に示す塩基配列を有する D-アミノアシラーゼ産生遺

伝子は、前記アルカリゲネス・キシロースオキシダンス・サブスピーシーズ・キシロースオキシダンス A-6 株から取得された。この A-6 株は、自然界の土壌よりスクリーニングによって得られた D-アミノアシラーゼ産生菌である。

本発明の D-アミノアシラーゼの製造方法は、上記したいずれかの形質転換微生物を亜鉛イオンを含む培地で培養し、培養物から D-アミノアシラーゼを取得する方法である。亜鉛イオンは、例えば塩化亜鉛、硫酸亜鉛等の亜鉛化合物を培地に適量添加することにより与えることができる。この方法により、D-アミノアシラーゼを高効率に製造することができる。

本発明の D-アミノアシラーゼの製造方法において、より好ましくは、上記培地に含まれる亜鉛イオン濃度を 0.1 ~ 10 mM に制御する。この方法により、培地中の亜鉛イオン濃度が最適化され、D-アミノアシラーゼをとりわけ高効率に製造することができる。

D-アミノアシラーゼの製造方法に関し、上記以外の点の実施方法や実施条件は特段に限定されないが、tac プロモーターの誘導物質（例えば、イソプロピルチオガラクトシド（IPTG）、ラクトース等）を誘導物質とする栄養培地中で培養を行うことが好ましい。更にその際のラクトース濃度を 0.1 ~ 1 % 程度としておくことも好ましい。

#### 図面の簡単な説明

第 1 図は D-アミノアシラーゼ産生遺伝子を連結するために用いたプラスミドを概念化して示す図である。第 2 図は D-アミノアシラーゼ産生遺伝子を連結したプラスミドを概念化して示す図である。

#### 発明を実施するための最良の形態

以下に、本発明を実施するための最良の形態を比較例と共に説明する。本発明は、これらの実施の形態に限定されるものではない。

##### （遺伝子の取得と塩基配列の決定）

アルカリゲネス・キシロースオキシダンス・サブスピーシーズ・キシロー

スオキシダンス A-6 株から得た染色体 DNA を制限酵素 Sau3AI で部分分解し、2~9 Kb の DNA 断片を分取した。得られた DNA 断片を公知のプラスミド pUC118 の BamHI 認識部位に挿入連結した。この連結プラスミドにより大腸菌 JM109 を形質転換し、アンピシリン耐性形質転換株を得た。こうして得られた形質転換株の中から、D-アミノアシラーゼのみを選択的に生産する能力を持つ株を得た。この能力を持つ形質転換株は、5.8 Kb の挿入断片を持つプラスミドを保持していた。

上記プラスミド中の 5.8 Kb の挿入断片をトリムダウンして、D-アミノアシラーゼ産生遺伝子の位置を推定した。そして、約 2.0 Kb の DNA について、常法に従い、配列表の配列番号 1 に示すような塩基配列を決定した。配列表には、対応するアミノ酸配列も付記する。その結果、ATG から始まる 1452 ヌクレオチドからなるオープンリーディングフレーム (ORF) を確認した。

#### (遺伝子の改変)

上記の 5.8 Kb の挿入断片を持つプラスミドから、BamHI-HindIII 消化により 4 Kb の DNA 断片を切り出し、公知のプラスミド pUC118 と連結することにより連結プラスミド pAND118 を作製し、これを鋳型として、プライマーを用いた部分特異的変異により、リボソームバインディングサイト (RBS) を改変したプラスミド pANS1 を作製した。

次に、上記プラスミド pANS1 を鋳型とし、プライマーを用いた部分特異的変異により、上記 RBS の直上流には EcoRI の認識部位を、又、ORF の直下流には HindIII 認識部位を、それぞれ作成してなるプラスミド pANS1HE を得た。

更にプラスミド pANS1HE を制限酵素 EcoRI-HindIII で消化して得た 1.8 Kb の DNA 断片を、図 1 に示すプラスミド pKK223-3 の EcoRI-HindIII 部位に挿入連結して、図 2 に示すプラスミド pKNS2 を得た。

#### (形質転換大腸菌)

大腸菌 (*Escherichia coli*) K12 株由来の株を宿主として、D. HANA HAN の方法 (DNA cloning Vol.1 109~136 1985) によりプラスミド DNA を



導入し、形質転換大腸菌 *E. coli* TG1/pKNSD2を得た。

(遺伝子取得源菌株の亜鉛耐性)

前記のアルカリゲネス・キシロースオキシダンス・サブスピーシーズ・キシロースオキシダンス A-6 株を、リン酸一カリウム 0.2%, リン酸二カリウム 0.2%, ポリペプトン 2%, 硫酸マグネシウム 0.01% 及びグリセリン 1% を含み、pH 7.2 である亜鉛無添加培地、及びこれと同一組成の培地にそれぞれ 0.2 mM, 2.0 mM 及び 5.0 mM の濃度に酸化亜鉛を添加した亜鉛添加培地において 30°C、24 時間培養した。培養後、菌体量 (A660 nm) を測定することにより、その亜鉛耐性を評価した。その際、培養後の培地 pH も測定した。その結果を表 1 における「A-6 菌」と表記した欄に示す。

【表 1】

菌の種類	亜鉛濃度 (mM)	培養後 pH	菌体量 (A660)	相対値 (%)
A-6 菌	0.0	7.58	8.09	100.0
	0.2	7.62	7.75	95.8
	2.0	7.56	5.23	64.6
	5.0	7.68	3.34	41.3
TG1 (宿主菌)	0.0	5.01	5.68	100.0
	0.2	4.99	5.93	104.4
	2.0	4.98	5.55	97.7
	5.0	5.01	4.98	87.7
pKNSD2/TG1 (組換え菌)	0.0	5.00	6.45	100.0
	0.2	5.01	6.70	103.9
	2.0	4.98	6.09	94.4
	5.0	5.01	5.47	84.8

表 1 より、亜鉛無添加培地における A-6 株の菌体量に対して、亜鉛添加培地における A-6 株の菌体量は顕著に減少しており (2.0 mM の亜鉛添加培地において約 35%、5.0 mM の亜鉛添加培地において約 60% の減少)、上記 A-6 株が亜鉛耐性ではないことが分かる。

### (宿主菌の亜鉛耐性)

宿主菌として用いた上記大腸菌 K 1 2 株由来の株に対しても、上記の A - 6 株と同様の組成の培地を用いて、同様に菌体量 (A 6 6 0 n m) を測定することにより、その亜鉛耐性を評価した。その結果を表 1 における「T G 1 (宿主菌)」と表記した欄に示す。

表 1 より、亜鉛無添加培地における宿主菌の菌体量に対して、亜鉛添加培地における宿主菌の菌体量は余り減少せず (2. 0 m M の亜鉛添加培地において約 3 %、5. 0 m M の亜鉛添加培地において約 1 2 % の減少。0. 2 m M の亜鉛添加培地においては却って増加している)、上記宿主菌が亜鉛耐性であることが分かる。

### (形質転換大腸菌の亜鉛耐性)

形質転換大腸菌 E. coli TG1/pKNSD2 に対しても、上記の A - 6 株と同様の組成の培地を用いて、同様に菌体量 (A 6 6 0 n m) を測定することにより、その亜鉛耐性を評価した。その結果を表 1 における「pKNSD2/TG1 (組換え菌)」と表記した欄に示す。

表 1 より、亜鉛無添加培地における形質転換大腸菌の菌体量に対して、亜鉛添加培地における形質転換大腸菌の菌体量は余り減少せず (2. 0 m M の亜鉛添加培地において約 5 %、5. 0 m M の亜鉛添加培地において約 1 5 % の減少。0. 2 m M の亜鉛添加培地においては却って増加している)、上記形質転換大腸菌が亜鉛耐性であることが分かる。

### (形質転換大腸菌に対する亜鉛添加効果)

形質転換大腸菌 E. coli TG1/pKNSD2 を、バクトトリプトン 1 %、バクトイーストエキス 0. 5 %、塩化ナトリウム 0. 5 % 及びアンピシリン 1 0 0  $\mu$  g / m l を含む p H 7. 0 の培地において 3 0 ° C で 1 6 時間の前培養を行った。

続いて、前培養後の形質転換大腸菌を、リン酸一カリウム 0. 2 %、リン酸二カリウム 0. 2 %、ポリペプトン 2 %、硫酸マグネシウム 0. 0 1 %、グリセリン 1 % 及び誘導剤としてのラクトース 0. 1 % を含み、p H 7. 0 である亜鉛無添加培地、及びこれと同一組成の培地にそれぞれ 0. 2 m M 及び 2. 0 m M の濃度に酸化亜鉛を添加した培地において、3 0 ° C で 2 4 時間の

本培養を行った。又、培養液のプロスアウト pH と、培養液 (A 6 6 0 nm) D-アミノアシラーゼ酵素活性 (U/mL) を測定した。

その結果、亜鉛無添加培地では酵素活性が 21.78 U/mL (プロスアウト pH 5.05) であったのに対して、0.2 mM の亜鉛添加培地においては 58.85 U/mL (プロスアウト pH 5.03)、2.0 mM の亜鉛添加培地においては 109.79 U/mL (プロスアウト pH 5.11) の酵素活性を示した。従って、少なくとも一定の濃度範囲における亜鉛イオンの添加によって、D-アミノアシラーゼ生産能力が顕著に向上することを確認した。

又、比較のために、前記 A-6 株を上記の前培養用の培地 (但しアンピシリンは無添加) において同上の条件で前培養し、更に、誘導剤を上記ラクトース 0.1% から N-アセチル-D, L-ロイシン 0.1% に変更した以外は上記の本培養用の培地と同じ組成の培地において同上の条件で本培養を行った。そして、培養液のプロスアウト pH と、培養液 (A 6 6 0 nm) D-アミノアシラーゼ酵素活性 (U/mL) を測定した。

その結果、亜鉛無添加培地では酵素活性が 0.29 U/mL (プロスアウト pH 7.47) であったのに対して、0.2 mM の亜鉛添加培地においては 0.12 U/mL (プロスアウト pH 7.48)、2.0 mM の亜鉛添加培地においては 0.29 U/mL (プロスアウト pH 7.43) の酵素活性を示した。従って、亜鉛イオンの添加による D-アミノアシラーゼ生産能力の向上効果を認めることができなかった。


#### 産業上の利用可能性

以上のように、本発明の形質転換微生物を用いることによって、産業上有用な酵素である D-アミノアシラーゼを選択的に、かつ高効率に生産することができる。

## 請 求 の 範 囲

1. 亜鉛イオンの存在により遺伝子産物の発現が増強されるD-アミノアシラーゼ産生遺伝子を亜鉛耐性を示す宿主微生物に導入し、亜鉛イオンを含む培地におけるD-アミノアシラーゼ高生産性形質を獲得させた形質転換微生物。
2. 前記D-アミノアシラーゼ産生遺伝子が、配列表の配列番号1に示す塩基配列を有するか、又は配列表の配列番号1に示す塩基配列とストリンジェントな条件下でハイブリダイズすると共にD-アミノアシラーゼを有効にコードする塩基配列を有するものである請求の範囲第1項記載の形質転換微生物。
3. 亜鉛イオンの存在により遺伝子産物の発現が増強されるD-アミノアシラーゼ産生遺伝子を亜鉛耐性を示す宿主微生物に導入してなる形質転換微生物を、亜鉛イオンを含む培地で培養し、培養物からD-アミノアシラーゼを取得するD-アミノアシラーゼの製造方法。
4. 前記培地に含まれる亜鉛イオン濃度を0.1～10mMに制御する請求の範囲第3項記載のD-アミノアシラーゼの製造方法。


1/2




**THIS PAGE BLANK (USPTO)**

2/2

第2図



挿入断片：



**THIS PAGE BLANK (USPTO)**



1 / 5

## 配 列 表

## SEQUENCE LISTING

&lt;110&gt; Amano Pharmaceutical Co., Ltd

&lt;120&gt; 形質転換微生物、D-アミノアシラーゼの製造方法

&lt;130&gt; POK-99-022

&lt;160&gt; 1

&lt;210&gt; 1

&lt;211&gt; 1758

&lt;212&gt; DNA

<213> *Alcaligenes xylosoxydans* subsp. *xylosoxydans*

&lt;400&gt; 1

gaattccact tgatcgcgga aggagagatt tcc atg tcc caa tcc gat tcc cag ccc 57

Met Ser Gln Ser Asp Ser Gln Pro

1

5

ttc gac ctg ctg ctc gcg ggc ggc acc ctc atc gac ggc agc aac acc 105

Phe Asp Leu Leu Leu Ala Gly Gly Thr Leu Ile Asp Gly Ser Asn Thr

10

15

20

ccg ggg cgg cgc gcc gac ctg ggc gtg cgc ggc gac cgc atc gcc gcc 153

Pro Gly Arg Arg Ala Asp Leu Gly Val Arg Gly Asp Arg Ile Ala Ala

25

30

35

40

**THIS PAGE BLANK (USPTO)**

2 / 5

atc ggc gat ctg tcg gac gcc gcc gcg cac acc cgg gtc gac gtg tcg	201
Ile Gly Asp Leu Ser Asp Ala Ala Ala His Thr Arg Val Asp Val Ser	
45 50 55	
ggc ctg gtg gtc gcg ccc ggc ttc atc gac tcg cac acc cac gac gac	249
Gly Leu Val Val Ala Pro Gly Phe Ile Asp Ser His Thr His Asp Asp	
60 65 70	
aac tac ctg ctc agg cgt cgc gac atg acg ccc aag atc tcg cag ggc	297
Asn Tyr Leu Leu Arg Arg Arg Asp Met Thr Pro Lys Ile Ser Gln Gly	
75 80 85	
gtc acc acg gtg gtc acg ggc aat tgc ggc atc agc ctg gcg ccg ctg	345
Val Thr Thr Val Val Thr Gly Asn Cys Gly Ile Ser Leu Ala Pro Leu	
90 95 100	
gcg cac gcc aac ccg ccc gcc ccc ctg gac ctg ctg gac gaa ggc ggc	393
Ala His Ala Asn Pro Pro Ala Pro Leu Asp Leu Leu Asp Glu Gly Gly	
105 110 115 120	
tct tac cgt ttc gag cgc ttc gcc gac tac ctg gac gcg ttg cgg gcc	441
Ser Tyr Arg Phe Glu Arg Phe Ala Asp Tyr Leu Asp Ala Leu Arg Ala	
125 130 135	
acg ccg gcg gcc gtc aac gcc gcc tgt atg gtg ggc cat tca acg ctg	489
Thr Pro Ala Ala Val Asn Ala Ala Cys Met Val Gly His Ser Thr Leu	
140 145 150	
cgc gcc gcg gtc atg ccg gac ttg cag cgc gcc gcc acc gac gag gaa	537
Arg Ala Ala Val Met Pro Asp Leu Gln Arg Ala Ala Thr Asp Glu Glu	
155 160 165	
atc gcg gcc atg cgg gac ctg gcc gag gaa gcc atg gcc agc ggc gcc	585
Ile Ala Ala Met Arg Asp Leu Ala Glu Glu Ala Met Ala Ser Gly Ala	
170 175 180	

**THIS PAGE BLANK (USPTO)**



**THIS PAGE BLANK (USPTO)**

4 / 5

```

aaa tcc aag tac gac gtg gtg ccc gag ctg cag ccg gcc ggc gcc atc 1065
Lys Ser Lys Tyr Asp Val Val Pro Glu Leu Gln Pro Ala Gly Ala Ile
      330              335              340
tac ttc atg atg gac gaa ccc gac gtg cag cgc atc ctg gcg ttc ggc 1113
Tyr Phe Met Met Asp Glu Pro Asp Val Gln Arg Ile Leu Ala Phe Gly
345              350              355              360
ccg acc atg atc ggc tcc gac ggc ctg ccg cac gac gag cgc ccg cat 1161
Pro Thr Met Ile Gly Ser Asp Gly Leu Pro His Asp Glu Arg Pro His
      365              370              375
ccg cgc ctg tgg ggc acc ttc ccg cgg gtg ctg ggg cac tat gcg cgc 1209
Pro Arg Leu Trp Gly Thr Phe Pro Arg Val Leu Gly His Tyr Ala Arg
      380              385              390
gac ctg ggc ctg ttc ccg ctg gag acg gcg gta tgg aag atg acc ggc 1257
Asp Leu Gly Leu Phe Pro Leu Glu Thr Ala Val Trp Lys Met Thr Gly
      395              400              405
ctg acc gcc gcg cgc ttc ggc ctg gcc ggg cgc ggg cag ctg cag gcc 1305
Leu Thr Ala Ala Arg Phe Gly Leu Ala Gly Arg Gly Gln Leu Gln Ala
      410              415              420
ggg tac ttc gcc gac ctg gtg gtg ttc gac ccg gcc acg gtg gcc gat 1353
Gly Tyr Phe Ala Asp Leu Val Val Phe Asp Pro Ala Thr Val Ala Asp
      425              430              435
acc gcc acc ttc gaa cac cct acc gag cgc gcc gcc ggc atc cat tcc 1401
Thr Ala Thr Phe Glu His Pro Thr Glu Arg Ala Ala Gly Ile His Ser
440              445              450              455
gtg tac gtc aac ggc gcg ccg gtc tgg caa gag cag gcg ttc acc ggc 1449
Val Tyr Val Asn Gly Ala Pro Val Trp Gln Glu Gln Ala Phe Thr Gly
      460              465              470

```

**THIS PAGE BLANK (USPTO)**



5 / 5

cag cat gcc ggc cgc gtg ctc gca cgc acg gcc gcc tg agcccggcgc 1497

Gln His Ala Gly Arg Val Leu Ala Arg Thr Ala Ala

475

480

483

cagcccttac aatccggcgt gaacggggcg gcgtgccgcc ccctcccaac cctggacgca 1557

aaccgctaca tggcccctcc ctccgctcgc aatacggccc caccgatat cgtgggcaag 1617

gaagtgatgg gcgcgcgcct gcgcgccgag cgcaaggccc ggaaaatgac cctgcaagac 1677

ctgtcgcagg ccagcggcat cgcggtctcg accctgtcca aggccgagct gggccagatc 1737

gccctgagct acgagaagct t 1758

**THIS PAGE BLANK (USPTO)**

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/03932

## A. CLASSIFICATION OF SUBJECT MATTER

Int.Cl<sup>7</sup> C12N 1/21, C12N 15/52, C12N 9/80

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Int.Cl<sup>7</sup> C12N 1/21, C12N 15/52, C12N 9/80

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
Genbank/EMBL/DDBJ/GeneSeq, WPI (DIALOG), BIOSIS (DIALOG)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Wakayama, M. et al., "Purification and characterization of L-aminoacylase from <i>Pseudomonas maltophilia</i> B1", Journal of Fermentation and Bioengineering (1998), Vol.85, No.3, pp.278-282	1-4
Y	Wakayama, M. et al., "Cloning and sequencing of a gene encoding D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6 and expression of the gene in <i>Escherichia coli</i> ", Bioscience, Biotechnology and Biochemistry (1995), Vol.59, No.11, p.2115-2119	1-4
Y	Wakayama, M. et al., "Overproduction of D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6 in <i>Escherichia coli</i> and its purification", Protein Expression and Purification (1996), Vol.7, No.4, pp.395-399	1-4
P,X	Farah, J-M. et al., "Mechanistic analysis of the argE-encoded N-acetylornithine deacetylase", Biochemistry (February 2000), Vol.39, No.6, pp.1285-1293	1-4
P,A	Wakayama, M. et al., "Role of conserved histidine residues	1-4

☒ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search  
12 September, 2000 (12.09.00)Date of mailing of the international search report  
19 September, 2000 (19.09.00)Name and mailing address of the ISA/  
Japanese Patent Office

Authorized officer

Facsimile No.

Telephone No.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/03932

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N .
	in D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6", Bioscience, Biotechnology and Biochemistry (January 2000), Vol.64, No.1, pp.1-8	
A	JP, 62-163689, A (Nagase Seikagaku Kogyo K.K.), 20 July, 1987 (20.07.87) (Family: none)	1-4
A	WO, 90/02177, A (AMGEN et al.), 08 March, 1990 (08.03.90) & EP, 394393, A & US, 5484728, A & US, 5589386, A & JP, 3-501086, A	1-4

## A. 発明の属する分野の分類 (国際特許分類 (IPC))

Int.Cl<sup>7</sup> C12N 1/21, C12N 15/52, C12N 9/80

## B. 調査を行った分野

調査を行った最小限資料 (国際特許分類 (IPC))

Int.Cl<sup>7</sup> C12N 1/21, C12N 15/52, C12N 9/80

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で利用した電子データベース (データベースの名称、調査に使用した用語)

Genbank/EMBL/DDBJ/GeneSeq, WPI(DIALOG), BIOSIS(DIALOG)

## C. 関連すると認められる文献

引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	Wakayama, M. et al., "Purification and characterization of L-aminoacylase from <i>Pseudomonas maltophilia</i> B1", Journal of Fermentation and Bioengineering (1998), Vol. 85, No. 3, p. 278-282	1-4
Y	Wakayama, M. et al., "Cloning and sequencing of a gene encoding D-aminoacylase from <i>Alcaligenes xylosoxydnas</i> subsp. <i>xylosoxydnas</i> A-6 and expression of the gene in <i>Escherichia coli</i> ", Bioscience, Biotechnology and Biochemistry (1995), Vol. 59, No. 11, p. 2115-2119	1-4

☒ C欄の続きにも文献が列挙されている。☐ パテントファミリーに関する別紙を参照。

## \* 引用文献のカテゴリー

「A」 特に関連のある文献ではなく、一般的技術水準を示すもの  
「E」 国際出願日前の出願または特許であるが、国際出願日以後に公表されたもの  
「L」 優先権主張に疑義を提起する文献又は他の文献の発行日若しくは他の特別な理由を確立するために引用する文献 (理由を付す)  
「O」 口頭による開示、使用、展示等に言及する文献  
「P」 国際出願日前で、かつ優先権の主張の基礎となる出願

の日の後に公表された文献

「T」 国際出願日又は優先日後に公表された文献であって出願と矛盾するものではなく、発明の原理又は理論の理解のために引用するもの

「X」 特に関連のある文献であって、当該文献のみで発明の新規性又は進歩性がないと考えられるもの

「Y」 特に関連のある文献であって、当該文献と他の1以上の文献との、当業者にとって自明である組合せによって進歩性がないと考えられるもの

「&amp;」 同一パテントファミリー文献

国際調査を完了した日

12.09.00

国際調査報告の発送日

19.09.00

国際調査機関の名称及びあて先

日本国特許庁 (ISA/JP)

郵便番号100-8915

東京都千代田区霞が関三丁目4番3号

特許庁審査官 (権限のある職員)

六笠 紀子

印

4B

9735

電話番号 03-3581-1101 内線 3448

C (続き) . 関連すると認められる文献		
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	Wakayama, M. et al., "Overproduction of D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6 in <i>Escherichia coli</i> and its purification", Protein Expression and Purification (1996) , Vol. 7 , No. 4 , p. 395-399	1 - 4
P, X	Farah, J-M. et al., "Mechanistic analysis of the argE-encoded N-acetylornithine deacetylase", Biochemistry (Feb. 2000) , Vol. 39 , No. 6 , p. 1285-1293	1 - 4
P, A	Wakayama, M. et al., "Role of conserved histidine residues in D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6", Bioscience, Biotechnology and Biochemistry (Jan. 2000) , Vol. 64 , No. 1 , p. 1-8	1 - 4
A	JP, 62-163689, A (ナガセ生化学工業株式会社) 20. 7月. 1987 (20. 07. 87) ファミリーなし	1 - 4
A	WO, 90/02177, A (AMGEN et al.) 8. 3月. 1990 (08. 03. 90) & EP, 394393, A & US, 5484728, A & US, 5589386, A & JP, 3-501086, A	1 - 4

PCT

## 国際予備審査報告

(法第12条、法施行規則第56条)  
[PCT36条及びPCT規則70]

REC'D 10 SEP 2001

WIPO

PCT

出願人又は代理人 の書類記号 I P O K 0 0 - 0 1 0 W O	今後の手続きについては、国際予備審査報告の送付通知（様式PCT/ I P E A / 4 1 6）を参照すること。	
国際出願番号 PCT / J P 0 0 / 0 3 9 3 2	国際出願日 (日.月.年) 1 5 . 0 6 . 0 0	優先日 (日.月.年) 1 7 . 0 6 . 9 9
国際特許分類 (IPC) Int. Cl <sup>7</sup> C12N 1/21, 15/52, 9/80		
出願人 (氏名又は名称) 天野エンザイム株式会社		

1. 国際予備審査機関が作成したこの国際予備審査報告を法施行規則第57条 (PCT36条) の規定に従い送付する。

2. この国際予備審査報告は、この表紙を含めて全部で 3 ページからなる。

☐ この国際予備審査報告には、附属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審査機関に対してした訂正を含む明細書、請求の範囲及び/又は図面も添付されている。  
(PCT規則70.16及びPCT実施細則第607号参照)  
この附属書類は、全部で ページである。

3. この国際予備審査報告は、次の内容を含む。

- I ☒ 国際予備審査報告の基礎
- II ☐ 優先権
- III ☐ 新規性、進歩性又は産業上の利用可能性についての国際予備審査報告の不作成
- IV ☐ 発明の単一性の欠如
- V ☒ PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるための文献及び説明
- VI ☐ ある種の引用文献
- VII ☐ 国際出願の不備
- VIII ☐ 国際出願に対する意見

国際予備審査の請求書を受理した日 2 8 . 1 2 . 0 0	国際予備審査報告を作成した日 2 3 . 0 8 . 0 1	
名称及びあて先 日本国特許庁 (I P E A / J P) 郵便番号 1 0 0 - 8 9 1 5 東京都千代田区霞が関三丁目4番3号	特許庁審査官 (権限のある職員) 本間 夏子	4 N 2 9 3 7
電話番号 0 3 - 3 5 8 1 - 1 1 0 1 内線 3 4 8 8		

様式PCT/IPEA/409 (表紙) (1998年7月)

**THIS PAGE BLANK (USPTO)**



## I. 国際予備審査報告の基礎

1. この国際予備審査報告は下記の出願書類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に  
応答するために提出された差し替え用紙は、この報告書において「出願時」とし、本報告書には添付しない。  
PCT規則70.16, 70.17)

☒ 出願時の国際出願書類

- |                                     |   |       |        |                      |
|-------------------------------------|---|-------|--------|----------------------|
| <input type="checkbox"/> 明細書        | 第 | _____ | ページ、   | 出願時に提出されたもの          |
| <input type="checkbox"/> 明細書        | 第 | _____ | ページ、   | 国際予備審査の請求書と共に提出されたもの |
| <input type="checkbox"/> 明細書        | 第 | _____ | ページ、   | _____ 付の書簡と共に提出されたもの |
| <input type="checkbox"/> 請求の範囲      | 第 | _____ | 項、     | 出願時に提出されたもの          |
| <input type="checkbox"/> 請求の範囲      | 第 | _____ | 項、     | PCT19条の規定に基づき補正されたもの |
| <input type="checkbox"/> 請求の範囲      | 第 | _____ | 項、     | 国際予備審査の請求書と共に提出されたもの |
| <input type="checkbox"/> 請求の範囲      | 第 | _____ | 項、     | _____ 付の書簡と共に提出されたもの |
| <input type="checkbox"/> 図面         | 第 | _____ | ページ/図、 | 出願時に提出されたもの          |
| <input type="checkbox"/> 図面         | 第 | _____ | ページ/図、 | 国際予備審査の請求書と共に提出されたもの |
| <input type="checkbox"/> 図面         | 第 | _____ | ページ/図、 | _____ 付の書簡と共に提出されたもの |
| <input type="checkbox"/> 明細書の配列表の部分 | 第 | _____ | ページ、   | 出願時に提出されたもの          |
| <input type="checkbox"/> 明細書の配列表の部分 | 第 | _____ | ページ、   | 国際予備審査の請求書と共に提出されたもの |
| <input type="checkbox"/> 明細書の配列表の部分 | 第 | _____ | ページ、   | _____ 付の書簡と共に提出されたもの |

2. 上記の出願書類の言語は、下記に示す場合を除くほか、この国際出願の言語である。

上記の書類は、下記の言語である \_\_\_\_\_ 語である。

- ☐ 国際調査のために提出されたPCT規則23.1(b)にいう翻訳文の言語
- ☐ PCT規則48.3(b)にいう国際公開の言語
- ☐ 国際予備審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語

3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際予備審査報告を行った。

- ☐ この国際出願に含まれる書面による配列表
- ☒ この国際出願と共に提出されたフレキシブルディスクによる配列表
- ☐ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表
- ☐ 出願後に、この国際予備審査(または調査)機関に提出されたフレキシブルディスクによる配列表
- ☐ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった
- ☒ 書面による配列表に記載した配列とフレキシブルディスクによる配列表に記載した配列が同一である旨の陳述書の提出があった。

4. 補正により、下記の書類が削除された。

- ☐ 明細書 第 \_\_\_\_\_ ページ
- ☐ 請求の範囲 第 \_\_\_\_\_ 項
- ☐ 図面 図面の第 \_\_\_\_\_ ページ/図

5. ☐ この国際予備審査報告は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認められるので、その補正がされなかったものとして作成した。(PCT規則70.2(c) この補正を含む差し替え用紙は上記1.における判断の際に考慮しなければならない、本報告に添付する。)

**THIS PAGE BLANK (USPTO)**

## V. 新規性、進歩性又は産業上の利用可能性についての法第12条(PCT35条(2))に定める見解、それを裏付ける文献及び説明

## 1. 見解

新規性(N)

請求の範囲  
請求の範囲

1 - 4

有  
無

進歩性(IS)

請求の範囲  
請求の範囲

1 - 4

有  
無

産業上の利用可能性(IA)

請求の範囲  
請求の範囲

1 - 4

有  
無

## 2. 文献及び説明(PCT規則70.7)

文献1: J. Ferment. Bioeng., Vol. 85, No. 3(1998)p. 278-282

文献2: Biosci. Biotech. Biochem., Vol. 59, No. 11(1995)p. 2115-2119

請求の範囲1-4

請求の範囲1-4に係る発明は、国際調査報告に引用された上記文献1及び2により進歩性を有しない。

文献1には、*Pseudomonas maltophilia* B1由来のアミノアシラーゼの活性が亜鉛イオンにより活性化されることが記載されている(文献1: 第278頁Abstract第8行目)。

文献2には、*Alcaligenes xylosoxydans subsp. xylosoxydans* A-6由来のアミノアシラーゼのアミノ酸配列及び遺伝子配列が記載されている(文献2: 第2117頁Fig. 3)。

ここで、本願請求の範囲1において、亜鉛イオンの存在により遺伝子産物の発現が增強されるD-アミノアシラーゼ産生遺伝子を宿主微生物に導入することが記載されているが、明細書の実施例において亜鉛の存在下で測定しているのは酵素活性であるから、発現が増加しているかどうかは不明である。

よって、文献2に記載されたアミノアシラーゼをコードする遺伝子を宿主微生物に導入し、亜鉛イオンの存在下で培養することで文献1に記載されたように亜鉛イオンによりアミノアシラーゼ活性の高いものを得ることは当業者が容易に想到し得たものと認められ、このようにして得られたものと本願発明は区別できない。

また、この際に亜鉛イオンの存在下で培養することを想定して、宿主微生物として亜鉛イオンに耐性のものを選択することは当業者が必要に応じて適宜なし得たものと認める。

したがって、請求の範囲1-4に係る発明は、文献1及び2の記載に基づいて当業者が容易になし得たものと認める。

**THIS PAGE BLANK (USPTO)**

## 国際調査報告

(法8条、法施行規則第40、41条)  
[PCT18条、PCT規則43、44]

出願人又は代理人 の書類記号 IPOK00-010WO	今後の手続きについては、国際調査報告の送付通知様式(PCT/ISA/220)及び下記5を参照すること。	
国際出願番号 PCT/JP00/03932	国際出願日 (日.月.年) 15.06.00	優先日 (日.月.年) 17.06.99
出願人(氏名又は名称) 天野製薬株式会社		

国際調査機関が作成したこの国際調査報告を法施行規則第41条(PCT18条)の規定に従い出願人に送付する。  
この写しは国際事務局にも送付される。

この国際調査報告は、全部で 3 ページである。

☐ この調査報告に引用された先行技術文献の写しも添付されている。

## 1. 国際調査報告の基礎

a. 言語は、下記に示す場合を除くほか、この国際出願がされたものに基づき国際調査を行った。

☐ この国際調査機関に提出された国際出願の翻訳文に基づき国際調査を行った。

b. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際調査を行った。

☐ この国際出願に含まれる書面による配列表

☒ この国際出願と共に提出されたフレキシブルディスクによる配列表

☐ 出願後に、この国際調査機関に提出された書面による配列表

☐ 出願後に、この国際調査機関に提出されたフレキシブルディスクによる配列表

☐ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった。

☒ 書面による配列表に記載した配列とフレキシブルディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。

2. ☐ 請求の範囲の一部の調査ができない(第I欄参照)。

3. ☐ 発明の単一性が欠如している(第II欄参照)。

4. 発明の名称は ☒ 出願人が提出したものを承認する。

☐ 次に示すように国際調査機関が作成した。

## 5. 要約は

☒ 出願人が提出したものを承認する。

☐ 第III欄に示されているように、法施行規則第47条(PCT規則38.2(b))の規定により国際調査機関が作成した。出願人は、この国際調査報告の発送の日から1カ月以内にこの国際調査機関に意見を提出することができる。

## 6. 要約書とともに公表される図は、

第 \_\_\_\_\_ 図とする。 ☐ 出願人が示したとおりである。

☒ なし

☐ 出願人は図を示さなかった。

☐ 本図は発明の特徴を一層よく表している。

**THIS PAGE BLANK (USPTO)**

## A. 発明の属する分野の分類 (国際特許分類 (IPC))

Int.Cl<sup>1</sup> C12N 1/21, C12N 15/52, C12N 9/80

## B. 調査を行った分野

調査を行った最小限資料 (国際特許分類 (IPC))

Int.Cl<sup>1</sup> C12N 1/21, C12N 15/52, C12N 9/80

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語)

Genbank/EMBL/DDBJ/GeneSeq, WPI(DIALOG), BIOSIS(DIALOG)

## C. 関連すると認められる文献

引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	Wakayama, M. et al., "Purification and characterization of L-aminoacylase from <i>Pseudomonas maltophilia</i> B1", Journal of Fermentation and Bioengineering (1998), Vol. 85, No. 3, p. 278-282	1-4
Y	Wakayama, M. et al., "Cloning and sequencing of a gene encoding D-aminoacylase from <i>Alcaligenes xylosoxydnas</i> subsp. <i>xylosoxydnas</i> A-6 and expression of the gene in <i>Escherichia coli</i> ", Bioscience, Biotechnology and Biochemistry (1995), Vol. 59, No. 11, p. 2115-2119	1-4

☒ C欄の続きにも文献が列挙されている。☐ パテントファミリーに関する別紙を参照。

## \* 引用文献のカテゴリー

「A」 特に関連のある文献ではなく、一般的技術水準を示すもの

「E」 国際出願日前の出願または特許であるが、国際出願日以後に公表されたもの

「L」 優先権主張に疑義を提起する文献又は他の文献の発行日若しくは他の特別な理由を確立するために引用する文献 (理由を付す)

「O」 口頭による開示、使用、展示等に言及する文献

「P」 国際出願日前で、かつ優先権の主張の基礎となる出願

の日の後に公表された文献

「T」 国際出願日又は優先日後に公表された文献であって出願と矛盾するものではなく、発明の原理又は理論の理解のために引用するもの

「X」 特に関連のある文献であって、当該文献のみで発明の新規性又は進歩性がないと考えられるもの

「Y」 特に関連のある文献であって、当該文献と他の1以上の文献との、当業者にとって自明である組合せによって進歩性がないと考えられるもの

「&amp;」 同一パテントファミリー文献

国際調査を完了した日

12.09.00

国際調査報告の発送日

19.09.00

国際調査機関の名称及びあて先

日本国特許庁 (ISA/JP)

郵便番号 100-8915

東京都千代田区霞が関三丁目4番3号

特許庁審査官 (権限のある職員)

六笠 紀子

印

4B

9735

電話番号 03-3581-1101 内線 3448

**THIS PAGE BLANK (USPTO)**



C (続き) . 関連すると認められる文献		
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	Wakayama, M. et al., "Overproduction of D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6 in <i>Escherichia coli</i> and its purification", Protein Expression and Purification (1996) , Vol. 7 , No. 4 , p. 395-399	1 - 4
P, X	Farah, J-M. et al., "Mechanistic analysis of the argE-encoded N-acetylornithine deacetylase", Biochemistry (Feb. 2000) , Vol. 39 , No. 6 , p. 1285-1293	1 - 4
P, A	Wakayama, M. et al., "Role of conserved histidine residues in D-aminoacylase from <i>Alcaligenes xylosoxydans</i> subsp. <i>xylosoxydans</i> A-6", Bioscience, Biotechnology and Biochemistry (Jan. 2000) ; Vol. 64 , No. 1 , p. 1-8	1 - 4
A	JP, 62-163689, A (ナガセ生化学工業株式会社) 20. 7月. 1987 (20. 07. 87) ファミリーなし	1 - 4
A	WO, 90/02177, A (AMGEN et al.) 8. 3月. 1990 (08. 03. 90) & EP, 394393, A & US, 5484728, A & US, 5589386, A & JP, 3-501086, A	1 - 4

**THIS PAGE BLANK (USPTO)**

101009782

47  
Translation

## PATENT COOPERATION TREATY

PCT

RECEIVED

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

JUN 27 2002

(PCT Article 36 and Rule 70)

TECH CENTER 1600/2900

Applicant's or agent's file reference <b>IPOK00-010WO</b>	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. <b>PCT/JP00/03932</b>	International filing date (day/month/year) <b>15 June 2000 (15.06.00)</b>	Priority date (day/month/year) <b>17 June 1999 (17.06.99)</b>
International Patent Classification (IPC) or national classification and IPC <b>C12N 1/21, 15/52, 9/80</b>		
Applicant <b>AMANO ENZYME INC.</b>		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.

2. This REPORT consists of a total of 3 sheets, including this cover sheet.

☐ This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of \_\_\_\_\_ sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand <b>28 December 2000 (28.12.00)</b>	Date of completion of this report <b>23 August 2001 (23.08.2001)</b>
Name and mailing address of the IPEA/JP	Authorized officer
Facsimile No.	Telephone No.

**THIS PAGE BLANK (USPTO)**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP00/03932

## I. Basis of the report

1. With regard to the **elements** of the international application:\*

- ☒ the international application as originally filed
- ☐ the description:  
pages \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_
- ☐ the claims:  
pages \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, as amended (together with any statement under Article 19  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_
- ☐ the drawings:  
pages \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_
- ☐ the sequence listing part of the description:  
pages \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language \_\_\_\_\_ which is:

- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☒ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☒ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. ☐ The amendments have resulted in the cancellation of:

- ☐ the description, pages \_\_\_\_\_
- ☐ the claims, Nos. \_\_\_\_\_
- ☐ the drawings, sheets/fig \_\_\_\_\_

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).\*\*

\* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rule 70.16 and 70.17).

\*\* Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

**THIS PAGE BLANK (USPTO)**

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP00/03932

## V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

### 1. Statement

Novelty (N)	Claims	1-4	YES
	Claims		NO
Inventive step (IS)	Claims		YES
	Claims	1-4	NO
Industrial applicability (IA)	Claims	1-4	YES
	Claims		NO

### 2. Citations and explanations

Document 1: J. Ferment. Bioeng., (1998), Vol. 85, No. 3, pages 278-282

Document 2: Biosci. Biotech. Biochem., (1995), Vol. 59, No. 11, pages 2115-2119

#### Claims 1-4

The subject matters of claims 1-4 do not appear to involve an inventive step in view of documents 1 and 2 respectively cited in the ISR.

Document 1 describes that zinc ions activate the activity of aminoacylase derived from *Pseudomonas maltophilia* B1 (Document 1: Page 278, Abstract, Line 8).

Document 2 describes an amino acid sequence and a gene sequence of the aminoacylase derived from *Alcaligenes xylosoxydans* subsp. *xylosoxydans* A-6 (Document 2: Page 2117, Fig. 3).

Claim 1 of the present application describes that a D-aminoacylase producing gene intensified in the expression of a gene product due to the presence of zinc ions is introduced into a host microbe, but since enzyme activity is determined in the presence of zinc in the examples of the specification, whether or not the expression increased is unknown.

So, a person skilled in the art could have easily conceived of obtaining aminoacylase with high activity using zinc ions as described in document 1, by introducing the gene encoding aminoacylase described in document 2 into a host microbe and culturing in the presence of zinc ions, and the aminoacylase obtained like this cannot be distinguished from the invention of the present application.

Furthermore, in this case, a person skilled in the art could have selected a host microbe tolerant to zinc ions, as required, in anticipation of culturing in the presence of zinc ions.

So, a person skilled in the art could have easily achieved the subject matters of claims 1-4 based on the descriptions of documents 1 and 2.

**THIS PAGE BLANK (USPTO)**